




WINNER OF 2019 GOOD DESIGN® AWARD

CREATED IN 1950 BY THE MUSEUM OF ARCHITECTURE AND DESIGN IN CHICAGO, THE GOOD DESIGN® AWARD IS GIVEN TO THE MOST INNOVATIVE AND CREATIVE PRODUCTS OF THE YEAR. WE ARE HAPPY TO ANNOUNCE THAT AMONG THIS YEAR'S WINNERS IS LA REALE, GAGGIA MILANO'S FLAGSHIP COFFEE MACHINE.

THE CONCEPT IS A TRIBUTE TO THE DURABILITY OF THE MACHINE, WHICH WAS DESIGNED TO COMPLEMENT THE INTENSE WORKING RHYTHM OF THE BARISTA WITH THE UTMOST RELIABILITY. THE DESIGN PERFECTLY EMBODIES THE PASSION FOR THE 'MECHANICAL', WHICH IS THE HALLMARK OF BONETTO DESIGN CENTER.





A TASTY LONG STORY

IT WAS THE YEARS-LONG QUEST TO CREATE THE PERFECT ESPRESSO, AGAINST THE BACKDROP OF 1930S MILAN, THAT GAVE BIRTH TO ONE OF THE MOST ICONIC ITALIAN BRANDS IN THE WORLD. IN 1938, THE ITALIAN BARISTA ACHILLE GAGGIA FILED THE PATENT THAT SIGNALLED A REVOLUTION IN THE WAY THE AROMAS ARE EXTRACTED FROM COFFEE, ALLOWING US TO TASTE THE PERFECT ITALIAN ESPRESSO, COMPLETE WITH ITS 'CREMA', FOR THE VERY FIRST TIME: A UNIQUE PLEASURE.

TODAY, AS IT WAS THEN, GAGGIA'S MISSION IS TO TAKE THE TRADITION OF THE ITALIAN ESPRESSO TO THE WORLD. THE COMPANY'S UNCHANGING VALUES OF TRADITION AND PROFESSIONALISM ARE AN INTRINSIC PART OF ALL THE MACHINES IN ITS RANGE, WHICH ADDRESSES THE REQUIREMENTS OF COFFEE PROFESSIONALS BY COMBINING STATE-OF-THE-ART TECHNOLOGY WITH SOPHISTICATED DESIGN.





BARISTA'S MUST-HAVE

LA REALE IS DESIGNED TO OPTIMISE ERGONOMICS FOR THE BARISTA: IT HAS AN ANGLED DISPLAY, A WIDE LED-ILLUMINATED WORKING AREA, AN ANGLED FILTER HOLDER HANDLE, EASY-TO-MOVE STEAM ACTIVATION LEVERS AND COOL TOUCH STEAM WANDS.

THE MACHINE ALSO BOASTS A DUAL USER INTERFACE, CONSISTING OF A 3.5-INCH TOUCHSCREEN FOR EACH GROUP, WHICH ALLOWS THE COMPLETE CUSTOMISATION OF INFUSION PARAMETERS, AND THREE BUTTONS THAT MAKE THE SELECTION PROCESS QUICKER AND MORE INTUITIVE.

TOP PERFORMANCE

EQUIPPED WITH INDEPENDENT AND INSULATED COFFEE BOILERS FOR EACH INFUSION GROUP, LA REALE GUARANTEES MAXIMUM STEAM PRODUCTIVITY COMBINED WITH MAXIMUM FLEXIBILITY IN TEMPERATURE MANAGEMENT.

WHAT'S MORE, COFFEE PRODUCTIVITY IS ENHANCED THANKS TO A HEAT EXCHANGER THAT PRE-HEATS INLET WATER.





DYNAMIC FLOW CONTROL

THE MACHINE THAT EPITOMISES GAGGIA MILANO'S RETURN TO PROMINENCE IN THE COFFEE MARKETPLACE IS FURTHER ENRICHED BY A DFC VERSION.

WHAT IS DFC?

THE PATENTED DYNAMIC FLOW CONTROL IS A UNIQUE SELLING PROPOSITION ADDRESSED TO PROFESSIONAL BARISTAS WHO WANT TO ENHANCE THE CONSUMER'S EXPERIENCE.

WHAT DOES THIS MEAN?

THIS ADVANCED TECHNOLOGY IS DESIGNED TO OBTAIN DIFFERENT TASTE PROFILES FROM THE SAME BLEND AND TO ENHANCE ALL THE SENSORY CHARACTERISTICS OF COFFEE, SUCH AS COLOUR, BODY, ACIDITY AND BITTERNESS. IN THIS WAY, DYNAMIC FLOW CONTROL ALLOWS BARISTAS TO CREATE THEIR PERFECT CUP OF COFFEE.

HOW DOES THIS SYSTEM WORK?

DFC ALLOWS FOR ACCURATE ELECTRONIC CONTROL OF WATER FLOW THROUGH BOTH A PROPORTIONAL VALVE AND A FLOWMETER. AS A CONSEQUENCE, THE WHOLE EXTRACTION PROCESS, WHICH IS DIVIDED INTO THREE DIFFERENT PHASES, CAN BE METICULOUSLY CUSTOMISED.

PRE-INFUSION

COMPARED TO MORE TRADITIONAL SYSTEMS, DFC ALLOWS BARISTAS NOT ONLY TO SET THE TIME, BUT ALSO TO CHOOSE BETWEEN THREE LEVELS OF INTENSITY, ENSURING THAT THE COFFEE CAKE IS EVENLY TAMPED.

RAMP UP

BARISTAS CAN CHOOSE FROM 3 RATE-OF-RISE LEVELS.

INFUSION

BARISTAS CAN OPT FOR A CONSISTENT FLOW RATE OF WATER IN ORDER TO CREATE SPECIFIC TASTE NUANCES.





TIMELESS DESIGN MEETS INNOVATION **AND EFFICIENCY**

2 GROUPS 3 GROUPS				
Vidth	MODEL		LA REALE	
Width mm / in mm			2 GROUPS	3 GROUPS
Maximum absorbed power Maximum absorbed po	SIZE / WEIGHT			
Meight mm / in 556 / 21.8 556 / 21.8	Width	mm / in	883 / 34.7	1130 / 44.4
Reight mm / in Kg / lb 556 / 21.8 556 / 21.8 Veight 88 / 215 120 / 262 LECTRICAL AND HYDRAULIC SPECIFICATION Voltage V 380 - 415 V 380 - 415 V 8500 9900 ower per group w 4500 team boiler power W 4900 Lt / UK gal 11/2.43	Depth	mm / in	702 / 27.6	702 / 27.6
Veright Kg / lb 98 / 215 120 / 262 LECTRICAL AND HYDRAULIC SPECIFICATION V 380 - 415 V 380 - 415 V Maximum absorbed power W 8500 9900 ower per group W 1400 1400 team boiler power W 4900 4900 team boiler load capacity Lt / UK gal 11 / 2.43 14 / 3.09	Height	mm / in	556 / 21.8	556 / 21.8
Voltage V 380 - 415 V 380 - 415 V Asximum absorbed power W 8500 9900 ower per group W 1400 1400 team boiler power W 4900 4900 team boiler load capacity Lt / UK gal 11 / 2.43 14 / 3.09	Weight	Kg / Ib	98 / 215	120 / 262
Maximum absorbed power M 8500 9900 ower per group W 1400 1400 team boiler power W 4900 4900 Lt / UK gal 11 / 2.43 14 / 3.09	ELECTRICAL AND HYDRAULIC SPECIFICATION			
Maximum absorbed power W 8500 9900 ower per group W 1400 1400 team boiler power W 4900 4900 team boiler load capacity Lt / UK gal 11 / 2.43 14 / 3.09	Voltage	V	380 - 415 V	380 - 415 V
ower per group W 1400 1400 team boiler power W 4900 4900 team boiler load capacity Lt / UK gal 11 / 2.43 14 / 3.09	Maximum absorbed power	W	8500	9900
team boiler power W 4900 4900 team boiler load capacity Lt / UK gal 11 / 2.43 14 / 3.09	Power per group	W	1400	1400
team boiler load capacity Lt / UK gal 11 / 2.43 14 / 3.09	Steam boiler power	W	4900	4900
	Steam boiler load capacity	Lt / UK gal	11 / 2.43	14 / 3.09
	Coffee boiler capacity		(0.8 / 0.176) x 2	(0.8 / 0.176) x 3

TECHNICAL FEATURES

3.5" colour touchscreen for each group

3 programmable direct selection buttons for each group

"Purge" button to rinse the coffee group (pre-set mode)

Independent boilers for each group

Electrical cup warmer

2 Cool touch steam wands

Hot water wand

LED-illuminated working area

Height-adjustable feet

Dose programming: time and brewing temperature

Digital boiler temperature control: different temperature for each group

Counts: number of coffee and hot water delivered, litres of water consumed, filters warning

Energy saver: automatic ON/OFF and Stand-by

USB port

Customisable display screensaver

SPECIFIC La Reale DFC TECHNICAL FEATURES

Dynamic Flow Control (DFC)

Possibility to set different brewing curve for each selection

Possibility to view the flow diagram for each selection

COLOURS

White and copper Grey and copper





The quality of this product has been certified by Istituto Espresso Italiano.

SaGa Coffee S.p.A.

Località Casona, 1066 - 40041 Gaggio Montano (Bologna) - Italy

Tel.: +39 0534 7741 - Fax: +39 0534 774808 - Website: gaggiaprofessional.evocagroup.com

In accordance with its policy of progressive product design, SaGa Coffee reserves the right to alter specifications. Gaggia is a trademark licensed by Gaggia S.p.A.

